

Tel: 26294542
Fax: 26294540

email: principal@andc.du.ac.in
url: <http://andcollege.du.ac.in>



ACHARYA NARENDRA DEV COLLEGE
(UNIVERSITY OF DELHI)
Govind Puri, Kalkaji, New Delhi – 110 019

Dr. Savithri Singh
Principal

Ref. No. ANDC/Sports/2017/
Dated : 06.09.2017

.....
.....
.....
.....

Subject: Tender for the purchase of Sports items

Dear Sir,

Tenders are invited for the purchase of various Sports items for the college. The list of items/equipments along with the specifications is attached as Enclosure-I.

It is requested that the following protocol should be carefully observed in every detail while submitting the tender; otherwise the tender may not be considered.

1. A technical bid and financial bid should be quoted and packed separately and sealed in separate envelopes. These separate envelopes are to be put in an outer envelope which too be sealed.
2. The tender should be sent under sealed cover addressed to the Principal, Acharya Narendra Dev College, Govindpuri, Kalkaji, New Delhi – 110 019 not later than Monday, 25.09.2017 by 05:00 p.m.
3. The word “**Tender Sports Items**” should be written prominently on the envelope.
4. The quoted price should be inclusive of all taxes and other charges.
5. Earnest Money Deposit of Rs. 25000/- shall be remitted online through RTGS/NEFT to the following account: Acharya Narendra Dev College, A/c no 0156000100488704, IFSC Code PUNB0015600, MICR Code 110024052, Punjab National Bank, Krishna Market, Kalkaji, New Delhi-110019 . A copy of RTGS/NEFT transfer report should be submitted along with the bid enclosed in the outermost envelope. Bank transfer details of the bidder should also be provided.
6. The other terms and conditions of the tender are attached as Enclosure-II.
7. Tenders will be opened on Tuesday, 26.09.2017 at 12:30 p.m.

Yours Sincerely,

(Savithri Singh)

ACHARYA NARENDRA DEV COLLEGE

Sports Items

2017- 2018

Enclosure I

S. N.	Name of the Equipment	Brand	Specification	Required Qty.
1.	Treadmill	Body Solid/Celebrate Life/Aerofit/Paramount	Dimension : 78"(L) x 37"(W) x 62"(H). • Motor : AC Motor, 3.0 HP continuous duty, 5.5 HP peak duty. • Motor Control : Club-rated digital concepts P.W.M. with fuse less current limit and dynamic short circuit protection. • Speed : 1 to 20 Kmph. • Elevation : 0% to 15% • Elevation Type : Automatic. • Quick Selection : Speed and elevation. • Belt : High density 2-ply urethane. • Effective belt size: 58" (L) x 20" (W). • Belt Size : 61.5" (L) x 20" (W). • Rollers : 69" Crown extra large. • Deck : 21 mm pre-waxed phenolic. • Shock Absorption : 6-Point deck suspension/Anti shock. • Safety Key Stop : Magnetic safety key. • Display : Profile matrix LED with 7 window display. • Display Feedback : Heart rate, elevation, time, distance, speed, programs and calories. • Programs : 25 Programs, 24 preset and 1 fat. • Mode/Set Option : Time, distance and calorie can be preset as per user requirement and stop after preset. • Heart Rate Technology : Heart rate control with hand grip pulse sensor. • Power Requirements : 220V AC. • Fan : In-built cooling fan. • Accessory Holder :water bottle. • Frame : Heavy-gauge welded steel with textured proprietary two coat electro statically powder process finish to ensure minimum corrosion and chip resistance. • Foldable : Smart folding system. • Max User Weight : 135 Kgs.	1
2.	Exercise Cycle (Upright)	Body Solid/Celebrate Life/Aerofit/Paramount	• Dimension : 54" (L) X 24" (W) X 58" (H). • Resistance Level : 8 Levels. • Resistance System : Friction free magnetic resistance. • Power : 1.5Volt x 2, AA size battery • Fly Wheel : 9 Kgs precision balanced. • Pulley : Aluminum pulley. • Drive System : Centre design drive, super silent poly-V belt driven. • Pedals : Self balanced extra wide with adjustable straps fit to any size user close spacing, shock absorbing air cushion and provides gentle movements. • Seat : Ergonomically designed comfortable seat with 11 levels vertical seat adjustment. • Handle Bars : U-Bar style with elbow support pad and in-built contact heart rate sensor with hand grips. • Centre of Gravity : Low COG combined with a balanced frame prevents rocking.	1

			<ul style="list-style-type: none"> • Cardio Monitor : In-built hand grip pulse sensor provided with handle grips enables to the cardio monitoring on board. • Display : LCD, computerized console. • Display Feedback : Multi feedback read out displays time, speed, distance, pulse and calories. • User Weight : 120 Kgs. • Transportation : Transportation wheels for easy movement. • Accessory Holder : Water bottle on the upper case of console. • Rating : Semi-Commercial. • Crank Assembly : 3 Pieces crank assembly. • Frame Structure : Extra sturdy and stable steel frame construction. • Frame Finishing : Proprietary two coat powder process. • Rust Proof : All frame structures electro-statically powder coated to ensure minimum corrosion and chip resistance. 	
3.	Knee Extension (Quadriceps)	Body Solid/Celebrate Life/Aerofit/Paramount	40 x 80 mm Sturdy oval tubing frame Tube Gauge 2.25 mm Cable : 5.0 mm dia 150 kg. weight stack.	1
4.	Knee curl (Hamstring)	Body Solid/Celebrate Life/Aerofit/Paramount	40 x 80 mm Sturdy oval tubing frame Tube Gauge 2.25 mm Cable : 5.0 mm dia 150 kg. weight stack.	1
5.	Seated abdomen (Abdominal muscles)	Body Solid/Celebrate Life/Aerofit/Paramount	40 x 80 mm Sturdy oval tubing frame Tube Gauge 2.25 mm Cable : 5.0 mm dia 120 kg. weight stack.	1
6.	Seated Back Extension (Lower back muscles)	Body Solid/Celebrate Life/Aerofit/Paramount	40 x 80 mm Sturdy oval tubing frame Tube Gauge 2.25 mm Cable : 5.0 mm dia 120 kg. weight stack.	1
7.	Seated Butterfly (Chest muscles and anterior deltoid group)	Body Solid/Celebrate Life/Aerofit/Paramount	40 x 80 mm Sturdy oval tubing frame Tube Gauge 2.25 mm Cable : 5.0 mm dia 120 kg. weight stack.	1
8.	Shoulder press (shoulder muscles)	Body Solid/Celebrate Life/Aerofit/Paramount	40 x 80 mm Sturdy oval tubing frame Tube Gauge 2.25 mm Cable : 5.0 mm dia 120 lbs. weight stack. PEC-DEC, high floor pulleys. Special low pulley design to exercise on either side of main frame With lat bar, curling bar ankle strap Optional safety steel cover	1
9.	Bench Press: Multipurpose (Incline & decline adjustable)	Body Solid/Celebrate Life/Aerofit/Paramount	50 x 100 mm Sturdy oval tubing frame Tube Gauge 4.00 mm Multipurpose (Incline & decline adjustable)	1
10.	Squat stand	Body Solid/Celebrate Life/Aerofit/Paramount	Tube Gauge 4.00 mm Solid steel platform to support heavy weight	1 pair
11.	Weight rack/tree with barbell stand	Nelco/Vinex/ATE/Challenge	Tube Gauge 4.00 mm Solid steel platform to support heavy weight	2
12.	Dumbbells rubberized / rubber coated	Body Solid/Celebrate Life/Aerofit/Paramount	Rubber Coated (1pair-2kg, 1pair-3kg, 1pair-4kg, 1pair-5kg, 1pair-6kg)	10

13	Dumbbell rack	Nelco/Vinex/ATE/Challenge	Solid steel platform to support heavy weight	2
14	Plyometric Boxes	Nelco/Vinex/ATE/Challenge	Pro-duty steel construction Slip free top surface Powder coated finish Solid steel platform to support heavy weight athletes Stackable for easy storage Set Includes 12", 18", 24", 30" and 36" Plyometric boxes	5
15	Weight training set Barbell	Nelco/Vinex/ATE/Challenge	Bar: - Made of special steel for strength and flexibility. Chrome Plated. 29 mm grip, 50 mm sleeve. Length 2.2 mts. Weight 25kg. As per IWF standards. Plates: - Made Of Solid Ever last high quality Rubber as per IWF Standards. Special Steel Hubs for longer durability. 450mm Diameter and 50 mm Hole. Weight: - 187kg	1
16	Bench (for Para Athletes)	Nelco/Vinex/ATE/Eleiko	Length: - The upholstered bed of the bench must be flat, level and a total of 2100mm in length. Width: - The main section of the bed of the bench shall be 610 mm wide, but for a distance of 705 mm from the head end, the width must only be 305 mm leaving two equal shoulders of 152.50 mm. Height: - The height must never be less than 480 mm and never exceeding 500 mm measured from the floor to the top of the flat surface of the bed of the bench without it being depressed or compacted. Stands: - The height of the rack uprights on all benches used in an IPC PO approved competition must be adjustable from a minimum 700mm to a maximum of 1100 mm measured from the floor to the bar rest position. Minimum width between insides of bar rests shall be 1100 mm. IPC Approved	1
17	Weightlifting set	Nelco/Vinex/ATE/Challenge	Bar: - Made of special steel for strength and flexibility. Chrome Plated. 29 mm grip, 50 mm sleeve. Length 2.2 mts. Weight 25kg. As per IWF standards. Plates: - Made Of Solid Ever last high quality Rubber as per IWF Standards. Special Steel Hubs for longer durability. 450mm Diameter and 50 mm Hole. Weight: - 187kg, IWF Approved	1
18	Weightlifting Platform (portable)	Nelco/Vinex/ATE/Challenge	IWF Standard	1
19	Weight racks	Nelco/Vinex/ATE	Adjustable weight up to 20kg	4
20	Weight Training Belt	Nelco/Vinex/ATE	Made of Neoprene foam sheet and is easily adjusted with velcro. Available in different sizes.	10
21	Weightlifting bar (15 Kgs.)	Nelco/Vinex/ATE/Challenge	Made of special steel for strength and flexibility. Chrome Plated. 25 mm grip, 50 mm sleeve. Length 2.01 mts. Weight 15kg. As per IWF standards	1
22	Gym Rubber	Nelco/Vinex/ATE	New Gym mats made of PVC coated fabric with 4 folding panels, E.P. foam and velcro on all the sides. Comes in 4 colours and different sizes. Size: - 2.4 m x 1.2 m x 70 mm	25
23	Hurdles	Nelco/Vinex/ATE	IAAF CERTIFIED, Superior quality competition hurdle made of Heavy Gauge semi-circular Aluminum Alloy Tube with wider flat base for superior stability on the ground. Weight of the Hurdle adjusts	15

			automatically according to the height as per regulation Tip-over position.	
24	Agility Ladders	Nelco/Vinex/ATE	9 m long with 21 rungs, with Carry Handle.	5
25	Cones	Nelco/Vinex/ATE	9 Inch Hat shaped cone made of plastic : -10 yellow, 10 blue, 10 red, 10 green, 12 Inch Hat shaped cone made of plastic : -10 yellow, 10 blue, 10 red, 10 green, Dome shaped cones 7.5" • in diameter and 2" • high: - 5 yellow, 5 blue, 5 red, 5 green	100
26	Slalom Poles	Nelco/Vinex/ATE	100 cm height PVC Heavy Duty	25
27	Discus (2.00kg)	Nelco/Vinex/ATE	Super Spin, Rim 83% (IAAF CERTIFIED)	2
28	Discus (1.75kg)	Nelco/Vinex/ATE	Super Spin, Rim 83% (IAAF CERTIFIED)	2
29	Discus (1.50kg)	Nelco/Vinex/ATE	Super Spin, Rim 83% (IAAF CERTIFIED)	2
30	Discus (1.25kg)	Nelco/Vinex/ATE	Super Spin, Rim 83% (IAAF CERTIFIED)	2
31	Discus (1.00kg)	Nelco/Vinex/ATE	Super Spin, Rim 83% (IAAF CERTIFIED)	2
32	Shot (7.26kg)	Nelco/Vinex/ATE	125mm (IAAF CERTIFIED), Shell made of rust proof alloy (Stainless Steel). Precisely machine turned for accurate diameter and balance.	2
33	Shot (6.00kg)	Nelco/Vinex/ATE	119mm (IAAF CERTIFIED), Shell made of rust proof alloy (Stainless Steel). Precisely machine turned for accurate diameter and balance.	2
34	Shot (5.00kg)	Nelco/Vinex/ATE	114mm (IAAF CERTIFIED) , Shell made of rust proof alloy (Stainless Steel). Precisely machine turned for accurate diameter and balance.	2
35	Shot (4.00kg)	Nelco/Vinex/ATE	104mm (IAAF CERTIFIED), Shell made of rust proof alloy (Stainless Steel). Precisely machine turned for accurate diameter and balance.	2
36	Shot (3.00kg)	Nelco/Vinex/ATE	97mm (IAAF CERTIFIED), Shell made of rust proof alloy (Stainless Steel). Precisely machine turned for accurate diameter and balance.	2
37	Shot (2.00kg)	Nelco/Vinex/ATE	Shell made of rust proof alloy (Stainless Steel). Precisely machine turned for accurate diameter and balance.	2
38	Javelin (800gm)	Nelco/Vinex/ATE	800 GMS./80 MTS., IAAF CERTIFIED, Made of hardened best quality dura aluminium. Designed and crafted for maximum throw distance. Javelin head made of stainless steel for extra durability.	1
39	Javelin (700gm)	Nelco/Vinex/ATE	700 GMS./80 MTS., IAAF CERTIFIED, Made of hardened best quality dura aluminium. Designed and crafted for maximum throw distance. Javelin head made of stainless steel for extra durability.	1
40	Javelin (600gm)	Nelco/Vinex/ATE	600 GMS./65MTS., IAAF CERTIFIED, Made of hardened best quality dura aluminium. Designed and crafted for maximum throw distance. Javelin head made of stainless steel for extra durability.	1
41	Javelin (500gm)	Nelco/Vinex/ATE	Made of hardened best quality dura aluminium. Designed and crafted for maximum throw distance. Javelin head made of stainless steel for extra durability.	1
42	Long Jump Take off Board	Nelco/Vinex/ATE	Take - Off Board Wooden	1

43	Shot Put Toe Board	Nelco/Vinex/ATE	Stop board made of fibre designed for depressed pad	1
44	Measuring Tape (100m)	Nelco/Vinex/ATE	Measuring Tape made of STEEL open reel.	1
45	Measuring Tape (50m)	Nelco/Vinex/ATE	Measuring tape made of STEEL open reel.	1
46	Measuring Tape (30m)	Nelco/Vinex/ATE	Measuring tape made of STEEL open reel.	1
47	Measuring Tape (15m)	Nelco/Vinex/ATE	Measuring tape made of STEEL open reel.	1
48	Shot Circle	Nelco/Vinex/ATE	Made of steel as per IAAF specifications with Cemented Surfaced	1
49	Discus Circle	Nelco/Vinex/ATE	Made of steel as per IAAF specifications with Cemented Surfaced	1
50	Javelin Cart	Nelco/Vinex/ATE	Made of heavy steel tube. Suitable for carrying 30 Javelins.	1
51	Shot Cart	Nelco/Vinex/ATE	Made of heavy steel pipe. Suitable for 12 Shots and 30 Discus. Comes with extra durable wheels.	1
52	Discus Cart	Nelco/Vinex/ATE	Made of heavy steel pipe. Suitable for 12 Shots and 30 Discus. Comes with extra durable wheels.	1
53	Discus Safety gage	Nelco/Vinex/ATE	Made of heavy duty 92 mm Square Steel Tube, HOT GALVANIZED for long life. Poles can be detached from centre for easy transportation and hinged for easy lifting during installation. All poles are bound together with the help of tie bars for sturdiness of the cage. Machine knitted 5 mm thick net with square mesh of size 40 mm. Net is UV stabilized for long life. Steel tube is used on the top of the net to avoid sagging.	1
54	Throwing Platform (for Para Athletes)	Nelco/Vinex/ATE	150kg Weight	1
55	Spring Board	Nelco/Vinex/ATE	Gymnastic Spring Board made of heavy duty steel frame and springs. Frame is powder coated for durability, jumping board is covered with suede fabric.	1
56	Football Pole (Standard Size)	Nelco/Vinex/ATE	FIFA Approved/Certified	1 Pair
57	Football Pole	Nelco/Vinex/ATE	Made of Steel, powder coated for durability and comes in 2 variants 2.0" steel tube. Foldable side arms and horizontal uprights. Includes net and anchors. Packed flat to reduce volume. Size: 9 x 4 feet	1 Pair

Comprehensive Warranty Three Years on item no. 1-19, 21-22,50-54,56-57

**ACHARYA NARENDRA DEV COLLEGE
(UNIVERSITY OF DELHI)
TERMS AND CONDITIONS
FOR
PURCHASE OF EQUIPMENTS
Enclosure II**

1. Technical and financial bids should be quoted separately and sealed in separate envelopes. These envelopes shall be marked as Technical Bid and Financial Bid. These separate envelopes are to be put in an outer envelope which too should be sealed.
2. Our Tender No. & Date and name of the item/equipment should invariably be marked on the top of each envelope containing the technical/financial bids, as well as on the outer envelope.
3. The technical and financial bids should be of the same equipment. The financial bid should include the cost of main equipment/item, its accessories. If there is any separate cost for training and installation that should be quoted separately. Warranty certificate should be attached with the technical bids.
4. The printed technical literature and catalogue giving full technical details should be included with the technical bid along with a compliance statement verifying the specifications quoted in the tender.
5. The rates be quoted in figures (all typed or printed) and cuttings should be avoided. The final figure should be in figures as well as in words. If there are cuttings, they should be duly initialled, failing which the bids are liable to be rejected.
6. The technical and financial bids should be addressed to Principal, Acharya Narendra Dev College, University of Delhi, Govindpuri, Kalkaji, New Delhi 110 019.
7. Any bids received after due date shall not be considered.
8. The college reserves the right to procure any item and their quantity.
9. The relevant college technical committee may ask the vendors for sample reviewing and demonstration and reserves the right to reject before opening of the financial bids.

For Imported Equipment/Item

10. The prices quoted should be C.I.F., New Delhi. That should include insurance, packing, forwarding, freight etc.
11. The agency commission, if any, payable in Indian rupees should be mentioned separately.
12. The bids should be valid for a period of 180 days from the date of its opening.
13. For imported equipment/s, payment can be made against the letter of Credit/Sight draft. The firm opting for Letter of Credit (LC) opening should clearly mention the address of foreign bank in the financial bid.
14. Custom duty will be paid by the College at the time of clearing the consignment from customs, as per Govt. rules.

Indigenous Equipment/Item/s

15. The prices quoted should be F.O.R. Delhi that includes insurance, packing, forwarding, freight etc.
16. The bids should be valid for a period of 180 days from the date of its opening.
17. For indigenous equipment/s, the payment terms are 100% advance against a bank guarantee of 110% amount, valid for 6 months or 100% payment after receipt of supply in good conditions.

Other terms and Conditions

18. The firm must be reputed and must be registered with Sales Tax Authority/GST. (Attach Sales Tax Registration number copy and income tax return papers of the last three years).
19. The goods, including for works contract, shall be supplied by bidder or its authorised distributor in Delhi and against a sale invoice issued from Delhi. The delivery of goods shall also be made from Delhi. The bidder dealer or its authorised distributor, as the case may be, who supplies the goods should be registered with the Delhi VAT Department/GST and carry a valid Tax Identification Number Issued by it. The bidder shall, however, be responsible for compliance with all conditions, warranties/ guarantees, irrespective of the fact that the goods are supplied by him directly or through its authorized distributor. Further, the quoted bid price in the tender shall be inclusive of all taxes and duties.
20. Goods supplied against the rate contracts of Pre-authorized agencies such as DGS&D, ICSIL, Kendriya Bhandar, DSIDC, shall also ensure the following: "Delivery of goods is made from Delhi and against a sale Invoice issued from Delhi. The dealer supplying goods should be registered with the Delhi VAT Department/GST and carry a valid Tax identification Number issued by it."
21. Indian Agents representing Foreign suppliers/manufacturers should be registered with DGS and D.
22. The selected vendors will have to pay a performance bank guarantee for an amount equal to 10% of the total amount of the equipments for the duration of warranty period.
23. The selected vendors will have to provide the complete bank details in case the college desires to make the payment through ECS/RTGS.
24. Earnest Money Deposit of Rs.25000/- shall be remitted online through RTGS/NEFT to the following account: Acharya Narendra Dev College, A/c no 0156000100488704, IFSC Code PUNB0015600, MICR Code 110024052, Punjab National Bank, Krishna Market, Kalkaji, New Delhi-110019 . A copy of RTGS/NEFT transfer report should be submitted along with the bid enclosed in the outermost envelope. Bank transfer details of the bidder should also be provided.
25. The EMD receipt is to be enclosed with the technical bid. Earnest Money Deposit of the selected vendors will be retained by the college till furnishing of the 10% bank guarantee. Earnest Money Deposit of the rejected vendors will be returned back by the college.
26. In case of any deviation from the tender specification or any misconduct, the firm will be held responsible and may lose the Earnest Money Deposit with additional penalty imposed.
27. No tenders will be considered after the due date and time under any circumstances. The tender should be sent not later than Monday, 25.09.2017 by 05:00 p.m. The tenders will be opened on Tuesday, 26.09.2017 at 12:30 p.m.
28. No advance payment will be made. TDS applicable for professional services will be deducted.
29. While sending bids, the firm/company/s shall ensure that the terms/conditions mentioned in the tender document against which the tender is being given are acceptable to the vendor/firm.
30. In the event of non-execution of the order within the specified period, a penalty of 5% of the total cost shall be imposed on the suppliers.
31. Principal, ANDC reserves its right/s to reject or accept wholly or partly the tender without assigning any reason/s.

Principal
Acharya Narendra Dev College
(University of Delhi)
Govindpuri, Kalkaji, New Delhi-110 019

Undertaking Form
(To be submitted along with the Tender)

The Principal
Acharya Narendra Dev College
University of Delhi
Govindpuri, Kalkaji
Delhi-110 019

We the undersigned (herein after called as Contractor/Vendors/Suppliers) hereby offer to execute supply of items as per specification against which we have quoted our rates and for which this tender may be accepted at the rates stated there in and subject to the terms & conditions set forth for such items as may be ordered by the Principal, Acharya Narendra Dev College or officer acting on his/her behalf.

Date this _____ Day of _____

Signature of Contractor _____

Address _____

