

**ENGINEERING DEPARTMENT  
UNIVERSITY OF DELHI  
DELHI-110007**

Ref. No. UE/ 9/140

/DU/M- 57 (2014-2015)

dated 9/9/14

**NOTICE INVITING QUOTATIONS**

Sealed percentage rate quotation are hereby invited from the contractor enlisted with CPWD, MES, Railways and working contractor of Delhi University for the work "Repair works in D-37 & C-25 Reids Line Colony, University of Delhi." So as to reach the office of the undersigned upto 3.00 P.M. on..... 16/9/14

Sl. No.	Item	Qty	Unit	Rate	Amount
1	Providing and fixing wire gauge shutters using galvanized M.S. wire gauge of average width of aperture 1.4 mm in both directions with wire of dia 0.63 mm, for doors, windows and clerestory windows with hinges and necessary screws : 35 mm thick shutters with ISI marked M.S. pressed butt hinges bright finished of required size	3	sqm	2914.00	8742.00
2	Providing and fixing ISI marked oxidised M.S. tower bolt black finish, (Barrel type) with necessary screws etc. complete : 150x10 mm	4	each	43.40	174.00
3	Providing and fixing ISI marked oxidised M.S. handles conforming to IS:4992 with necessary screws etc. complete : 100 mm	4	each	23.55	94.00
4	Distempering with oil bound washable distemper of approved brand and manufacture to give an even shade : New work (two or more coats) over and including water thinnable priming coat with cement primer	175	sqm	79.65	13939.00
5	Painting with synthetic enamel paint of approved brand and manufacture to give an even shade : Two or more coats on new work	80	sqm	63.05	5044.00
6	Applying priming coat : With ready mixed pink or Grey primer of approved brand and manufacture on wood work (hard and soft wood)	15	sqm	30.75	461.00
7	Repairs to plaster of thickness 12 mm to 20 mm in patches of area 2.5 sq. meters and under, including cutting the patch in proper shape, raking out joints and preparing and plastering the surface of the walls complete, including disposal of rubbish to the dumping ground within 50 metres lead : With cement mortar 1:4 (1 cement : 4 fine sand)	20	sqm	221.15	4423.00
8	Renewing glass panes, with putty and nails wherever necessary including racking out the old putty: Float glass panes of thickness 4 mm	1	sqm	651.40	651.00
9	Removing dry or oil bound distemper, water proofing cement paint and the like by scrapping, sand papering and preparing the surface smooth including necessary repairs to scratches etc. complete.	150	sqm	9.00	1350.00
10	Providing and fixing P.V.C. waste pipe for sink or wash basin including P.V.C. waste fittings complete. Semi rigid pipe 40 mm dia	2	each	80.70	161.00
11	Fencing with angle iron post placed at required distance embedded in cement concrete blocks, every 15th post, last but one end post and corner post shall be strutted on both sides and end post on one side only and provided with horizontal lines and two diagonals interwoven with horizontal wires, of barbed wire weighing 9.38 kg per 100 m (minimum), between the two posts fitted and fixed with G.I. staples, turn buckles etc. complete. (Cost of posts, struts, earth work and concrete work to be paid for separately). Payment to be made per metre cost of total length of barbed wire used. With G.I. barbed wire	400	mtr	12.50	5000.00

se


12	Disposal of building rubbish / malba / similar unserviceable, dismantled or waste materials by mechanical means, including loading, transporting, unloading to approved municipal dumping ground or as approved by Engineer-in-charge, beyond 50 m initial lead, for all leads including all lifts involved i/c carriage upto 12km	5	cum	305.45	1527.00
13	Painting with aluminium paint of approved brand and manufacture to give an even shade . Two or more coats on new work	50	sqm	58.40	2920.00
14	P/F 1 mm thick aluminium sheet in bathroom door etc complete.	3	sqm	874.00	2622.00
15	P/Applying birla/ JK wall putty on wall surface (one or more coat) as required in thickness 1mm i/c sand papering etc. to prepare smooth as per direction of Engineer-in Charge.	175	sqm	57.00	9975.00
16	Repair of door i/c taking out, repair, refixing and locking arrangement etc complete	9	Nos.	516.00	4644.00
17	P/F aluminium pipe/ curtain rods with brackets / side funnels of size upto 32 mm dia pipe (heavy type) with necessary screws etc all complete.	10	mtr	362.00	3620.00
18	Providing and fixing trap of self cleansing design with screwed down or hinged grating with or without vent arm complete, including cost of cutting and making good the walls and floors : 100 mm inlet and 100 mm outlet Sand cast iron S&S as per IS: 3989	2	each	938.05	1876.00
19	Providing lead caulked joints to sand cast iron/centrifugally cast (spun) iron pipes and fittings of diameter : 100 mm	4	each	232.30	929.00
20	Providing and fixing single equal plain junction of required degree with access door, insertion rubber washer 3 mm thick, bolts and nuts complete. 100x100x100 mm Sand cast iron S&S as per IS - 1729	2	each	484.30	969.00
21	Dismantling of flushing cistern of all types (C.I./PVC/Vitrious China) including stacking of useful materials near the site and disposal of unserviceable materials within 50 metres lead.	1	each	322.00	322.00
22	Providing and fixing water closet squatting pan (Indian type W.C. pan ) with 100 mm sand cast Iron P or S trap, 10 litre low level white P.V.C. flushing cistern, including flush pipe, with manually controlled device (handle lever) conforming to IS : 7231, with all fittings and fixtures complete, including cutting and making good the walls and floors wherever required : White Vitreous china Orissa pattern W.C. pan of size 580x440 mm with integral type foot rests	1	each	3265.25	3265.00
23	Providing and fixing uplasticised PVC connection pipe with brass unions : 30 cm length 15 mm nominal bore	1	each	58.95	59.00
24	Providing and fixing bend of required degree with access door, insertion rubber washer 3 mm thick, bolts and nuts complete. 100 mm dia Sand cast iron S&S as per IS - 1729	1	each	340.30	340.00
25	Providing and fixing soil, waste and vent pipes : 100 mm dia Sand cast iron S&S pipe as per IS: 1729	4	mtr	854.85	3419.00
26	Providing and fixing M.S. holder-bat clamps of approved design to Sand Cast iron/cast iron (spun) pipe embedded in and including cement concrete blocks 10x10x10 cm of 1:2:4 mix (1 cement : 2 coarse sand : 4 graded stone aggregate 20 mm nominal size), including cost of cutting holes and making good the walls etc. : For 100 mm dia pipe	3	each	140.65	422.00
27	Supplying at site Angle iron post & strut of required size including bottom to be split and bent at right angle in opposite direction for 10 cm length and drilling holes upto 10 mm dia. etc. complete.	150	kg	69.75	10463.00

se

28	Excavating holes more than 0.10 cum & upto 0.5 cum including getting out the excavated soil, then returning the soil as required in layers not exceeding 20 cm in depth, including consolidating each deposited layer by ramming, watering etc, disposing of surplus excavated soil, as directed within a lead of 50 m and lift upto 1.5 m. All kinds of soil	20	each	47.15	943.00
29	Providing and laying cement concrete in retaining walls, return walls, walls (any thickness) including attached pilasters, columns, piers, abutments, pillars, posts, struts, buttresses, string or lacing courses, parapets, coping, bed blocks, anchor blocks, plain window sills, fillets, sunken floor, etc., up to floor five level, excluding the cost of centering, shuttering and finishing : 1:2:4 (1 Cement : 2 coarse sand : 4 graded stone aggregate 20 mm nominal size)	4.5	cum	5822.15	26200.00
30	Kota stone slab flooring over 20 mm (average) thick base laid over and jointed with grey cement slurry mixed with pigment to match the shade of the slab, including rubbing and polishing complete with base of cement mortar 1 : 4 (1 cement : 4 coarse sand) : 25 mm thick	2	sqm	1071.70	2143.00
31	Dismantling stone slab flooring laid in cement mortar including stacking of serviceable material and disposal of unserviceable material within 50 metres lead.	2	sqm	88.50	177.00
32	Cutting holes up to 30x30 cm in walls including making good the same: With common burnt clay F.P.S. (non modular) bricks	2	each	196.40	393.00
				<b>Total</b>	<b>117267.00</b>

**Condition:**

- 1 The work should be completed in 30 days.
- 2 1.5 % water charges will be deducted.
- 3 Rates should be quoted both in words & figures.
- 4 The contractor must visit the site before quoting his rates.
- 5 CPWD specification in force will be followed.
- 6 Undersigned reserves the authority to reject any or all the quotation without assigning any reason therefore.

  
Executive Engineer

I/we hereby quote..... % above/below/at par on the estimated cost of Rs.117267/-


Undertaking:

I/we hereby undertake that my/our agency have not been black listed/debarred in any Govt. organization since last 3 years.

(Contractor)

Copy to:-

- 1 The Director, Computer Center with a request to display the Notice Inviting quotation the Delhi University Website.
- 2 Sh. Prem Singh, J.E. (C)
- 3 Mrs. Kavita, JACT to ensure the display of the quotation notice on University website.
- 4 Notice Board

  
Executive Engineer

Agency

Address

Contract No.