## Office of the Executive Engineer

SC- January 21, 2016

Sealed percentage rate quotations are here by invited from the contractors enlisted with CPWD, MES, Railways and working contractors of Delhi University for the work of "Repair and painting work in vacant flat no. 8, type - III, block - III, new housing unit at South Campus University of Delhi." so as to reach the office of undersigned on dated <u>29.01.2016</u> by 3.00P.M. the quotations will be opened on the same day at 3:30P.M.

SLNo	Description	Qty	Unit	Rate	Amount
1	Providing and fixing ISI marked oxidised M.S. sliding door bolts with nuts and screws etc. complete:	-			
	250x16 mm	1	each	154.60	155.00
2	Providing and fixing aluminium sliding door bolts, ISI marked anodised (anodic coating not less than grade AC 10 as per IS: 1868), transparent or dyed to required colour or shade, with nuts and screws etc. complete:				
	300x16 mm	2	each	215.30	431.00
3	Providing and fixing aluminium tower bolts, ISI marked, anodised (anodic coating not less than grade AC 10 as per IS: 1868) transparent or dyed to required colour or shade, with necessary screws etc. complete:				
	200x10 mm	1	each	76.40	76.00
4	Providing and fixing aluminium handles, ISI marked, anodised (anodic coating not less than grade AC 10 as per IS: 1868) transparent or dyed to required colour or shade, with necessary screws etc. complete:				
	125 mm	2	each	66.95	134.00
5	Providing and fixing fly proof stainless steel grade 304 wire gauge, to windows and clerestory windows using wire gauge with average width of aperture 1.4 mm in both directions with wire of dia. 0.50 mm all complete.				
	With 12 mm mild steel U beading	0.5	sqm	1288.05	644.00
6	Provoding & fixing wiper for door shutter complete.	1	Nos.	251.00	251.00
7	Fixing the handle in wooden almirah shutter by providing screws etc. complete.				
		4	nos.	150.00	600.00

8	Distempering with oil bound washable				
	distemper of approved brand and				
	manufacture to give an even shade:				
	New work (two or more coats) over and				
	including water thinnable priming coat with				
	cement primer	240	sqm	79.65	19116.00
9	Painting with synthetic enamel paint of		<u>'</u>		
	approved brand and manufacture to give an				
	even shade :				
	Two or more coats on new work	90	sqm	63.05	5675.00
10	Providing and applying white cement based				
	putty of average thickness 1 mm, of				
	approved brand and manufacturer, over the				
	plastered wall surface to prepare the surface				
	even and smooth complete.				
	<u>'</u>	180	sqm	85.40	15372.00
11	Repairs to plaster of thickness 12 mm to 20	.50	54111	33.40	10012.00
''	mm in patches of area 2.5 sq. meters and				
	under, including cutting the patch in proper				
	shape, raking out joints and preparing and				
	plastering the surface of the walls complete,				
	including disposal of rubbish to the dumping				
	ground within 50 metres lead :				
	9.04.14				
	With cement mortar 1:4 (1 cement : 4 fine				
	sand)	10	sqm	221.15	2212.00
12	Renewing glass panes, with putty and nails		54		
	wherever necessary including racking out				
	the old putty:				
	Float glass panes of thickness 4 mm	0.5	sqm	651.40	326.00
13	Removing dry or oil bound distemper, water	0.0	54	001110	0_0.00
	proofing cement paint and the like by				
	scrapping, sand papering and preparing the				
	surface smooth including necessary repairs				
	to scratches etc. complete.				
		230	sqm	9.00	2070.00
14	Repoar of door/window/racks etc. steel or	200	Sqiii	3.00	2010.00
'¬	wood as per the requirement with necessary				
	fittings etc. complete.	1	aach	350.00	1400.00
15	Cleaning of wall tile in toilet & bath with tile	4	each	350.00	1400.00
13	cleaner etc. complete.	1	ioh	800.00	800.00
16	Closing of aluminium window by p/f 5.5 mm	ı	job	800.00	800.00
10	thick glass panes with required material				
	complete is all respect.	4	ncc	000.00	000.00
17		1	nos.	900.00	900.00
17	Providing and fixing brass stop cock of approved quality:				
	15 mm nominal bore	4	0004	250.05	260.00
	13 Hill Hominal bore	1	each	259.85	260.00

18	Providing and fixing C.P. brass bib cock of approved quality conforming to IS:8931:				
	15 mm nominal bore	1	each	458.40	458.00
19	Providing and fixing C.P. brass long nose bib cock of approved quality conforming to IS standards and weighing not less than 810 gms.				
	15 mm nominal bore	1	each	795.20	795.00
20	Making hole up to 20x20 cm and embedding pipes up to 150 mm diameter in masonry and filling with cement concrete 1:3:6 (1 cement : 3 coarse sand 6 graded stone aggregate 20 mm nominal size) including disposal of malba.		motro	110.45	110.00
		1	metre	119.45	119.00
	Total				51794.00

## Conditions

- 1. The work is to be carried out as per CPWD specifications.
- 2. The time allowed to complete the work one month.
- 3. 1% water charges to be dedcuted from the bill.
- 4. The rate quoted should be inclusive of all taxes and duties & should be written both in words and figures.
- 5. The contractor should see the site before quoting the rate.
- 6. Undersigned reserves the right to reject any or all the quotations without assigning any reason thereof.
- 7. The contractors are required to submit a copy of Labour Licence Registration with EPFO, ESIC and BOCW Welfare Board.

		Executive Engineer South Campu
I/we		hereby agree to execute the above
@	% Above/Below/At Par the estimated cost.	
	Signature	
	Name	
	Address _	
	Telephon	Α